Marine Physical Laboratory

Acoustic Emissions of Bubble Clouds in Salt Water

Principal Investigator(s): Thomas Berger

Supported by the Office of Naval Research Grant Number: N00014-00-1-0050

Final Report

June 2003

University of California, San Diego Scripps Institution of Oceanography

REPORT DOCUMENTATION PAGE				Form Approved OMB No 0704-0188
Public reporing burden for this collection gathering and maintaining the data not this collection of information, including Davis Highway, Suite 1204, Aflington,	n of information is estimated to a ed ed, and completing and revie suggestions for reducing this bur VA 22202-4302, and to the Office	verage 1 hour per response wing the collection of information den, to Washington Headquot Management and Budgo	, including the time for reviewing in nation. Send comments regarding parters Services, Directorate for inf at Papenwork Reduction Project (0	structions, searching existing data sources, his burden estimate or any other aspect of ormation Operations and Reports, 1215 Jefferson 704-0188) Washington DC 20503
1. Agency Use Only (Leave E	Blank). 2. Re	port Date. 3, 2003	3. ReportType ar Final Repo	d Dates Covered.
4.Title and Subtitle.				5. Funding Numbes.
Acoustic Emissions of Bubble Clouds in Salt Water				N00014-00-1-0050
6. Author(s).				
Thomas Berger				Project No. Task No.
7. Performing Monitoring Ag	ency Names(s) and Ad	dress(es).		8. Performing Organization
University of California, Sa Marine Physical Laborator Scripps Institution of Ocea 291 Rosecrans Street San Diego, CA 92106	ry			Report Number.
9. Sponsoring/Monitoring Ag	ency Name(s) and Add	tress(es).		10. Sponsoring/Monitoring Agency
Office of Naval Resear Department of the Nav 800 North Quincy Stree Arlington, VA 22217-5 Atten: Jeffrey Simmen	ch y et 660	. ,		Sponsoring/Monitoring Agency Report Number.
11. Supplementary Notes.	,			
12a. Distribution/Availability Statement.				12b. Distribution Code.
Approved for public	release; distribu	tion is unlimite	ed.	
13. Abstract (Maximum 200) words).			
13. Abstract (Maximum 200 Experiments were per plume formed by a co	erformed to investi	•	,	etric, conical bubble ce of a pool of water.
Experiments were pe	erformed to investi	•	,	-
Experiments were per plume formed by a c	erformed to investi ontinuous, vertical	•	,	ce of a pool of water.
Experiments were per plume formed by a constitution of the second of the	erformed to investi ontinuous, vertical	water jet as it	,	ce of a pool of water. 15. Number of Pages. 2

Acoustic Emissions of Bubble Clouds in Salt Water

Thomas Berger

Supported by the Office of Naval Research Grant N00014-00-1-0050

Summary

Experiments were performed to investigate the sound from an axi-symmetric, conical bubble plume formed by a continuous, vertical water jet as it penetrates the surface of a pool of water. The volume fluxes of the air and water entering the pool were carefully controlled and monitored during the experiments and a hydrophone detected the acoustic pressure field adjacent to the plume at frequencies between 100 Hz and 1 kHz. Up to five well-defined, non-uniformly spaced peaks were observed in the pressure spectrum.

These peaks are attributed to coherent, collective oscillations of the bubbles within the plume, implying that the biphasic bubbly medium acts as a continuum, forming a resonant, conical cavity beneath the jet. All the eigenfrequencies were found to exhibit inverse-fractional power-law scalings of the same form: fm μ uj-1/2q-1/4, where fm is the frequency of the mth spectral peak, uj is the jet velocity, q is the air entrainment ratio, that is, the ratio of the air-to-water volume fluxes in the jet, and the unspecified constant shows a non-linear dependence on m. A two-component, theoretical model has been developed for the eigenfrequencies of the plume.

From a fluid-dynamics argument based on the conservation of momentum flux in the two-phase flow, the speed of sound within the

bubbly medium is shown to increase as the square-root of depth in the plume. This is incorporated into an acoustic analysis in which the wave equation is solved analytically, taking account of the cone-like geometry of the bubble plume cavity, including the near-rigid boundary condition at the penetration depth, where the bubbly region ends abruptly. The resultant expression for the frequencies of the lowest-order longitudinal modes of the bubble-plume cavity exhibits the inverse-fractional power-law scalings observed in the experiments. It is evident from the theory that the square-root sound speed profile within the plume is the origin of the inverse relationship between the eigen-frequencies and the square-root of the jet velocity, as observed at the hydrophone external to the plume.

Publications

- J. Goldberg, T. K. Berger, and R. Dashen, "Uniform high-frequency approximation to scattering from an infinite strip," J. Math. Phys. 38(5) 2308-2331 (1997).
- T. K. Berger, "Theory of acoustic radiation near a hyperbolic ridge," J. Acoust. Soc. Am. 104(4) 2136-2148 (1998).
- T. K. Berger, Hydrodynamic Properties of Air-entraining Flows: A Study Using New Acoustic Techniques, PhD thesis, University of California at San Diego, (1999).
- M. D. Richardson et al., "Overview of SAX99: environmental conditions," IEEE J. Oceanic Eng. 26(1) 26-53 (2001).
- N. G. Lehtinen, S. Adam, G. Gratta, T. K. Berger, and M. J. Buckingham, "Sensitivity of an underwater acoustic array to ultra-high-energy neutrinos," Astroparticle Phys. 17(3) 279-292 (2002).
- T. R. Hahn, T. K. Berger, and M. J. Buckingham, "Acoustic resonances in the bubble plume formed by a plunging water jet," Proc. Royal Soc. Lond. [in press] (2003).
- T. K. Berger, T. R. Hahn, and M. J. Buckingham, "Theory and experiments on the depth of penetration of bubbles entrained by a plunging jet in fresh and salt water," J. Fluid Mech. [in preparation] (2003).

Abstracts and Conference Proceedings

- T. K. Berger, T. R. Hahn, and M. J. Buckingham, "Low-frequency acoustic emissions of a plunging water jet. Part I. Experiment," J. Acoust. Soc. Am. 104(3) 1749 (1998) [1st prize Best Student Paper].
- T. R. Hahn, T. K. Berger, and M. J. Buckingham, "Low-frequency acoustic emissions of a plunging water jet. Part II. Theory," J. Acoust. Soc. Am. 104(3) 1749 (1998) [3rd prize Best Student Paper].
- T. K. Berger, T. R. Hahn, and M. J. Buckingham, "Sediment geoacoustic properties determined from local and spatially integrated measurements of interface waves," J. Acoust. Soc. Am., 105(2) 1207 (1999).
- T. R. Hahn, T. K. Berger, and M. J. Buckingham, "Acoustic measurements of air entrainment by a plunging free water jet," J. Acoust. Soc. Am. 105(2) 1254 (1999).
- T. K. Berger, T. R. Hahn, and M. J. Buckingham, "Acoustic measurements of the hydrodynamic properties of the plunging water jet," Free Surface Turbulence and Bubbly Flows Workshop ONR-UCSD, ed. J. Lasheras (1999).
- T. K. Berger, and M. J. Buckingham, "Theory of acoustic radiation over a hyperbolic ocean ridge," Bollettino di Geofisica 40(1S) 26 (1999).
- T. R. Hahn, T. K. Berger, and M. J. Buckingham, "Acoustics of a plunging air-entraining water jet," Bollettino di Geofisica 40(1S) 108 (1999).
- T. K. Berger, T. R. Hahn, and M. J. Buckingham, "Low-frequency acoustic resonances in the bubble plume formed by a plunging water jet," J. Acoust. Soc. Am. 106(4) 2116 (1999).
- T. K. Berger, and M. J. Buckingham, "Geoacoustic properties of sediments determined from measurements of head waves," J. Acoust. Soc. Am. 107(5) 2773 (2000).
- T. K. Berger, T. R. Hahn, and M. J. Buckingham, "Low-frequency acoustic resonances in the bubble plume formed by a plunging water jet," ICANOV, Montreal (2000).

- T. K. Berger, F. Simonet, and M. J. Buckingham, "SAX99 preliminary report Scripps low frequency experiments," SAX99 Workshop, Seattle (2000).
- T. K. Berger, and M. J. Buckingham, "Low-frequency acoustics of bubbles plumes formed in fresh water and salt water," J. Acoust. Soc. Am. 108(5) 2545 (2000).
- A. Cowley, R. A. O'Leary, R. Garlick, M. J. Buckingham, F. Simonet and T. K. Berger, "Acoustic Daylight imaging in underwater environments," Proceedings of the Fifth European Conference on Underwater Acoustics (ed. M. E. Zakharia), vol. 1, pp. 375-380, Office for Official Publications of the European Communities 2000, Luxemburg (2000).
- T. K. Berger, "Theory of acoustic radiation over a 3-D hyperbolic ocean ridge," J. Acoust. Soc.Am. 109(5) 2334 (2001).
- M. J. Buckingham and T. K. Berger, "Low-frequency sound from a bubble plume," in 17th International Conference on Acoustics, ed. Adriano Alippi (Rivista Italiana di Acustica, Rome, Italy, 2001), Vol. 1, Physical Acoustics (KEYNOTE address).
- E. Giddens, T. K. Berger, I. Clark and M. J. Buckingham, "Normal-incidence measurements of the reflection coefficient of two sand sediments in the Gulf of Mexico," J. Acoust. Soc. Am. 110, 2724 (2001).

ONR/MPL REPORT DISTRIBUTION

Office of Naval Research
Department of the Navy
Ballston Tower One
800 North Quincy Street
Arlington, VA 22217-5660
Atten: Jeffrey Simmen, ONR 3210A

Regional Director (1)
ONR Detachment
San Diego Regional Office
4520 Executive Drive, Suite 300
San Diego, CA 92121-3019

Commanding Officer (1) Naval Research Laboratory 4555 Overlook Avenue, S.W. Attn: Code 2627 Washington, D.C. 20375-5320

Defense Technical Information Center (4) 8725 John J. Kingman Road Suite 0944 Ft. Belvoir, VA 22060-6218